




TERMINAL BLOCK SERIES 組合式端子台



NHT-10 10A 600V




NHT-20 20A 600V




NHT-30 30A 600V



NHT-60 60A 600V




NHT-100 100A 600V




SOLID-TYPE TERMINAL BLOCK 固定式端子台


TB-1503




TB-2503



TB-1504




TB-2504




SOLID-TYPE TERMINAL BLOCK 固定式端子台


TB-1506




TB-2506



TB-1512




TB-2512



TERMINAL BLOCK SERIES 組合式端子台


TB-05

NO. OF POLET	2	3	4	5	6	7	8	9	10	11	12
L	22	29	36	43	50	57	64	71	78	85	92
L1	26	33	40	47	54	61	68	75	82	89	96




TB-10

NO. OF POLET	2	3	4	5	6	7	8	9	10	11	12
L	26	35.1	44.2	53.3	62.4	71.5	80.6	89.7	98.8	107.9	117
L1	34.2	43.3	52.4	61.5	70.6	79.7	88.8	97.9	107	116.1	125.2




TB-20

NO. OF POLET	2	3	4	5	6	7	8	9	10	11	12
L	32	43.5	55	66.5	78	89.5	101	112.5	124	135.5	147
L1	39	50.5	62	73.5	85	96.5	108	119.5	131	142.5	145



TB-30


NO. OF POLET	2	3	4	5	6	7	8	9	10	11	12
L	35	47.8	60.6	73.4	86.2	99	111.8	124.6	137.4	150.2	163
L1	41.8	54.6	67.4	80.2	93	105.8	118.6	131.4	144.2	157	169.8



TERMINAL BLOCK SERIES 組合式端子台


TB-60

NO. OF POLET	2	3	4	5	6	7	8	9	10	11	12
L	60.8	81.4	102	122.6	143.2	163.8	184.8	205	225.6	246.2	266.8
L1	73.8	94.4	115	135.6	156.2	176.8	197.4	218	238.6	259.2	279.8




TB-100

NO. OF POLET	2	3	4	5	6	7	8	9	10	11	12
L	74	101	128	155	182	209	236	263	290	317	344
L1	87	114	141	168	195	222	249	276	303	330	357




TB-200

NO. OF POLET	2	3	4	5	6	7	8
L	91.5	127	162.5	198	233.5	269	304.5
L1	104.5	140	175.5	211	246.5	282	317.5



TB-300

NO. OF POLET	2	3	4	5	6	7	8
L	105.6	147.4	189.2	231	272.8	314.6	356.4
L1	118.6	160.4	202.2	244	285.8	327.6	369.4




TERMINAL BLOCK SERIES 組合式端子台

SPECIFICATION	ATB-16	ATB-25	ATB-35
1.Current	75A	110A	115A
2.Voltage	600V	600V	600V
3.Cross-Section	16mm ²	25mm ²	35mm ²
4.Impulse-Voltage	5KV	5KV	5KV
5.Lightening Torquerange	30kgf.cm	50kgf.cm	50kgf.cm
6.Clamping Screw	M5	M6	M6
7.Insulation Stripping Length	10~12mm	10~12mm	10~12mm

ATB-16 75A 600V



ATB-25 110A 600V




ATB-35 115A 600V




TERMINAL BLOCK SERIES 組合式端子台

SPECIFICATION	ATB-4	ATB-6	ATB-10
1.Current	30A	40A	60A
2.Voltage	600V	600V	600V
3.Cross-Section	4mm ²	6mm ²	10mm ²
4.Impulse-Voltage	5KV	5KV	5KV
5.Lightening Torquerange	6kgf.cm	10kgf.cm	16kgf.cm
6.Clamping Screw	M3	M3.5	M4
7.Insulation Stripping Length	10~12mm	10~12mm	10~12mm

ATB-4 30A 600V



ATB-6 40A 600V



ATB-10 60A 600V

